


NOTE:
ALL COMBUSTIBLE MATERIALS ARE TO BE REMOVED FROM THE VICINITY OF THE JOINT TO ENSURE THAT THERE WILL BE NO FIRE RISK DUE TO SITE WELDING

KALZIP SEAM CUT BACK AND WELDED.
COMPRESSIBLE SEALING TAPE
INSTALLED BETWEEN SEAMS.
SHEETS ZIPPED UP PRIOR TO
INSTALLATION ON SITE.

FIXED POINT
DETAIL



Notes

- ① Kalzip LINER SHEET
- ② Kalzip VAPOUR CONTROL LAYER
- ③ HALTER CLIPS
- ④ Kalzip THERMAL INSULATION.
- ⑤ HIGH DENSITY INSULATION
- ⑥ TOP SHEET.

Revision	Drawn	CHK'D	Date	Description
----------	-------	-------	------	-------------



A Tais Steel Enterprise
Kalzip Ltd
Haydock Lane, Haydock, St. Helens
MERSEYSIDE, WA11 9TY
Tel: 01942 295 500
Fax: 01942 295 508

This drawing is copyright and is issued on the express condition that it is not to be copied or disclosed by or to any unauthorised person or firms without prior consent in writing from Kalzip.

Project:			
Kalzip Standard Details			
Client:			
Kalzip Ltd			
Title:			
Double Skin Welded Hipped Valley			
Scale:	Date:	Drawn:	Checked:
NTS	01.04	JLW	
Dwg No.	RDS-A-1-013		Rev: C