


Notes

1. All Dims in mm Unless Otherwise Stated
2. Do Not Scale From This Drawing
3. Isolate All Dissimilar Materials With Barrier Tape
4. If in Doubt, ASK

NOTE

For minimum and maximum overhangs of Kalzip sheet from the ridge clip, refer to Kalzip's Standard Details. Ensure that the V.C.L. is adequately sealed using correct sealants prior to laying insulants.

Semi-Rigid Insulation recommended to support Weld Positions. Omitted for clarity.



Revision	Drawn	CHK'D	Date	Description
B	JPK	-	10-08-12	Colour Scheme, References



A Tria Steel Enterprise

Kalzip Ltd

Haydock Lane, Haydock, St. Helens

MERSEYSIDE, WA1 1 9TY

Tel: 01942 295 500

Fax: 01942 295 508

This drawing is copyright and is issued on the express condition that it is not to be copied or disclosed by or to any unauthorised person or firms without prior consent in writing from Kalzip.

Project: Kalzip Standard Details			
Client: Kalzip Ltd			
Title: Kalzip Multivault GRP Rooflight Cross-Section			
Scale: NTS	Date: 25.05.12	Drawn: JW	Checked: -
Dwg No. KLMVGRP-A-01			Rev: B